ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 598 (2000) 431–434

Journal of Organometallic Chemistry

Contents of Volume 598

Regular Papers

Reactivity of cyclometallated semicarbazone complexes of Pd(II): crystal and molecular structures of [Pd{$C_6H_4C(Et)$=NN(H)C(=O)NH_2}(PPh$_3$)][ClO_4] and [Pd{$C_6H_4C(Et)$=NN(H)C(=O)NH_2}{($Ph_2PCH_2CH_2)_2$PPh-*P,P,P*}][Cl]
A. Fernández, M. López-Torres, A. Suárez, J.M. Ortigueira, T. Pereira, J.J. Fernández, J.M. Vila, H. Adams 1

Syntheses of cationic four-coordinated aluminum complexes: counter-ion induced aggregation through the N–H···I hydrogen bonds
B.-T. Ko, Y.-C. Chao, C.-C. Lin 13

Alkyne insertion reactions of [RuH(κ^2-S_2CNEt_2)(CO)(PPh_3)$_2$]: synthesis of alkenyl, alkynyl and enynyl complexes
R.B. Bedford, C.S.J. Cazin 20

Synthesis of the diphenylacetylene-based, tetra-amine ligand 1,2-bis(3,5-bis[(dimethylamino)methyl]phenyl)acetylene by palladium-catalysed cross-coupling: isolation and crystal structure of the catalyst *trans*-(3,5-bis[(dimethylamino)methyl]phenyl)bis(triphenylphosphine)palladium(II) iodide
M.P.R. Spee, B. Ader, P. Steenwinkel, H. Kooijman, A.L. Spek, G. van Koten 24

Reactions of metalloalkynes: Part 6. Synthesis of open tetrametallic clusters. Reaction of [$Ru(CO)_4$(ethene)] with ethyne-1,2-diyl compounds. Single crystal X-ray structural determinations of [$Ru_4(\mu_4$-CC)(η-$C_5H_4R)_2(\mu$-CO)$_2$(CO)$_8$] (R = H, Me)
L.T. Byrne, J.P. Hos, G.A. Koutsantonis, B.W. Skelton, A.H. White 28

Isolation of new polynuclear aluminium amides; trinuclear [AlCl(MeNCH_2CH_2NMe)$_2$(Al(NMe_2)Cl)(Al(N$Me_2)_2$)] and fluxional adamantane-like [Al_4Cl_2(N$Me_2)_6$(NMe)O]
G. Leggett, M. Motevalli, A.C. Sullivan 36

Synthesis and properties of some novel ferrocene macrocyclic dioxopolyamines
P. Xue, E. Fu, G. Wang, C. Gao, M. Fang, C. Wu 42

Synthesis and crystal structures of the monomeric organotellurium(IV) trihalides: *trans*-2-ethoxy-cyclohexyl-tellurium(IV) trichloride, trichloro(2-chlorobicyclo[2.2.1]hept-7-yl)-λ^4-tellurane, and mesityltellurium(IV) tribromide
D. Dakternieks, J. O'Connell, E.R.T. Tiekink 49

Development of a T-joint for covalent molecular construction based on 2,2'-bipyridine and phenanthroline isocyanide metal complexes
Y.-B. Dong, L. Yang, K.-K. Cheung, A. Mayr 55

Cyano-bridged extended heteronuclear supramolecular architectures with hexacyanoferrates(II) as building blocks
H.-X. Zhang, Y.-X. Tong, Z.-N. Chen, K.-B. Yu, B.-S. Kang 63

Influence of phenyl ring substituents in the cyclometallation of Schiff base ligands: crystal and molecular structures of [Pd-{3,4-(OCH_2O)C_6H_2C(H)=N(Cy)-*C2,N*}(μ-O_2CMe)]$_2$ and [Pd-{3,4-(OCH_2CH_2O)C_6H_2C(H)=N(Cy)-*C6,N*}(μ-O_2CMe)]$_2$
B. Teijido, A. Fernández, M. López-Torres, S. Castro-Juiz, A. Suárez, J.M. Ortigueira, J.M. Vila, J.J. Fernández 71

Diverse reactivity of rhodium β-(tetraphenyl)tetraphenyl porphyrin chlorides with benzonitrile: formation of Rh porphyrin arene and imine complexes
X. Zhou, M.K. Tse, D.-D. Wu, T.C.W. Mak, K.S. Chan 80

Platinum(II) and palladium(II) compounds derived from [(η^5-C_5H_5)Fe{(η^5-C_5H_4)-CH=N-CH_2-CH_2-OH}]
C. López, A. Caubet, X. Solans, M. Font-Bardía 87

The synthesis and characterisation of bis(phenylpyridylphosphino)ethane
I.R. Butler, P. Licence, S.J. Coles, M.B. Hursthouse 103

Ferrocenyl ligands in mixed valence high-oxidation state rhenium complexes
O. Knoesen, H. Görls, S. Lotz 108

Water soluble phosphines: Part XIII. Chiral phosphine ligands with amino acid moieties
D.J. Brauer, S. Schenk, S. Roßenbach, M. Tepper, O. Stelzer, T. Häusler, W.S. Sheldrick 116

(Fluoroorgano)fluoroboranes and -fluoroborates I: synthesis and spectroscopic characterization of potassium fluoroaryltrifluoroborates and fluoroaryldifluoroboranes
H.-J. Frohn, H. Franke, P. Fritzen, V.V. Bardin 127

Geometrical and electronic structures of the acetyl complex $Re(bpy)(CO)_3(COCH_3)$ and of $[M(bpy)(CO)_4](OTf)$, M = Mn,Re
T. Scheiring, W. Kaim, J. Fiedler 136

The 16-electron dithiolene complexes (*p-cymene*)$M[S_2C_2(B_{10}H_{10})]$ (M = Ru, Os) containing both η^6-(*p-cymene*) and η^2-(*ortho*-carborane-dithiolate): adduct formation with Lewis bases, and X-ray crystal structures of (*p-cymene*)$Ru[S_2C_2(B_{10}H_{10})](L)$ (L = PPh_3) and $\{(p\text{-}cymene)Ru[S_2C_2(B_{10}H_{10})]\}_2(\mu\text{-}LL)$ (LL = $Ph_2PCH_2CH_2PPh_2$ and N_2H_4)
M. Herberhold, H. Yan, W. Milius 142

Reactions of transition-metal η^1-propargyl complexes with sulfur dioxide and sulfur trioxide: transition-metal–carbon bond cleaving reactions of the cycloadducts which yield 1,2-oxathiole-2-oxides and -2,2-dioxides
A.L. Hurley, M.E. Welker, C.S. Day 150

Synthesis, characterization and X-ray structure of stannocanes substituted with a cyclic dithiophosphate ligand $X(CH_2CH_2S)_2Sn^nBu[S_2P(OCH_2C(Et_2)CH_2O)]$, (X = O, S): a study about the conformational tendencies and the relationship with the anomeric effect of the stannocane rings
P. García y García, R. Cruz-Almanza, R.-A. Toscano, R. Cea-Olivares 160

Synthesis and reactivity of new oxo alkyl or oxo acyl niobocene complexes and crystal structure of $Cp'_2Nb(=O)(OC(O)CF_3)$ ($Cp' = \eta^5$-$C_5H_4SiMe_3$)
A. Antiñolo, I. del Hierro, I. López-Solera, S. García-Yuste, A. Otero, M. Fajardo, A. Rodríguez 167

Use of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)Pt(II) as a chiral derivatizing agent for the determination by ^{195}Pt-NMR of the enantiomeric composition of unsaturated ethers or alcohols having a quaternary chiral carbon atom
G. Uccello-Barretta, R. Bernardini, R. Lazzaroni, P. Salvadori 174

Non-bridged amido cyclopentadienyl complexes of titanium: synthesis, characterization, and olefin polymerization catalysis
P.-J. Sinnema, T.P. Spaniol, J. Okuda 179

Preparation of $[Et_2InSb(SiMe_3)_2]_3$: a trimeric single-source precursor to indium antimonide
E.E. Foos, R.J. Jouet, R.L. Wells, P.S. White 182

Organotin mediated nitration in heteroaromatic series using tetranitromethane or dinitrogen tetroxide
F. Favresse, V. Fargeas, P. Charrue, B. Lebret, M. Piteau, J.-P. Quintard 187

Conference Calendar 192

Regular Papers

Implementation of the IPPP–CLOPPA–INDO/S method for the study of indirect nuclear spin coupling constants and its application to molecules containing tin nuclei
E.L. Botek, G.A. Aucar, M.G. Cory, M.C. Zerner 193

On some reactions of undecamethylcyclohexasilanyl-substituted silanes
U. Englich, S. Graschy, E. Hengge, U. Hermann, C. Marschner, C. Mechtler, E. Pinter, K. Ruhlandt-Senge, F. Uhlig 202

Synthesis and decomposition of bis(alkoxyethynyl)dimethyltin
B. Wrackmeyer, S.V. Ponomarev 211

Synthesis, characterization and solution studies on heteronuclear iron–copper clusters containing diphosphine ligands: crystal structure of the dicluster $[\{Fe_2(\mu\text{-}CO)(CO)_6(\mu\text{-}PPh_2)Cu\}_2(dppp)]$
M. Ferrer, O. Rossell, M. Seco, M. Soler, M. Font-Bardia, X. Solans, D. de Montauzon 215

Direct displacement of chlorine or iodine in reactions of $(Me_3Si)_3CSiRR'X$ with metal salts
K.D. Safa, M.G. Asadi, A. Abri, A. Mohammadpour, H. Kiae 222

Preparation of some dinuclear rhodium complexes with the orthometallated ligand $[2,6\text{-}(PPh_2CH_2)_2C_6H_3]^-$ and their catalytic activity for polymerization of phenylacetylene
J. Yao, W.T. Wong, G. Jia 228

2-Thioanisyldichlorophosphine, new starting material for the preparation of multidentate phosphine ligands: syntheses and characterization of derivatives of 2-anisyl- and 2-thioanisyldichlorophosphines
R.H. Laitinen, V. Heikkinen, M. Haukka, A.M.P. Koskinen, J. Pursiainen 235

Interaction of bis(trimethylsilyl)acetylene complex of titanocene with tris(pentafluorophenyl)borane. Synthesis and structure of a new type of zwitterionic metallocene $(\eta^5\text{-}C_5H_5)\{\eta^5\text{-}[C_5H_4B(C_6F_5)_3]\}Ti$
V.V. Burlakov, S.I. Troyanov, A.V. Letov, L.I. Strunkina, M.K. Minacheva, G.G. Furin, U. Rosenthal, V.B. Shur 243

Synthesis, structure and coordination chemistry of mono- and bis-heterocyclic-ferrocenyl derivatives
C.J. Isaac, C. Price, B.R. Horrocks, A. Houlton, M.R.J. Elsegood, W. Clegg 248

Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: structures of 3-ferrocenyl-3-isopropylcyclopropene and its adducts with 1,3-diphenylisobenzofuran
E.I. Klimova, M.M. Garcia, T. Klimova, C.A. Toledano, R.A. Toscano, L.R. Ramirez 254

Bromination and nitration reactions of metallated (Ru and Os) multiaromatic ligands and crystal structures of selected products
A.M. Clark, C.E.F. Rickard, W.R. Roper, L.J. Wright 262

Mesitylpseudohalogermanes $Mes_2Ge(CN)_2$ and Mes_3GeX (X = CN, NCS, N_3, NCO and OH; Mes = 2,4,6-trimethylphenyl): syntheses, crystal and molecular structures
G. Hihara, R.C. Hynes, A.-M. Lebuis, M. Rivière-Baudet, I. Wharf, M. Onyszchuk 276

Crystal structures and spectroscopic properties of platina-β-diketones — a new mode of stacking in platinum complexes
D. Steinborn, M. Gerisch, T. Hoffmann, C. Bruhn, G. Israel, F.W. Müller 286

Dimere der Ethene $Me_2E{=}C(SiMe_3)_2$ (E = Si, Ge, Sn): Auf welchem Wege entstehen sie aus $Me_2EX{-}CM(SiMe_3)_2$? Wie sind sie strukturiert?
N. Wiberg, T. Passler, S. Wagner, K. Polborn 292

Addukte der Ethene $Me_2E{=}C(SiMe_3)_2$ (E = Si, Ge, Sn) mit LiR und RN_3: Wie rasch bilden sie sich?
N. Wiberg, T. Passler, S. Wagner 304

Synthesis and crystal structure of $[U(\eta\text{-}C_5H_5)]_2[\mu\text{-}\eta^4\text{:}\eta^4\text{-}HN(CH_2)_3N(CH_2)_2N(CH_2)_3NH]$, a dinuclear compound with a bridging tetra-amide ligand
T. Le Borgne, M. Lance, M. Nierlich, M. Ephritikhine 313

Activation of a coordinated alkyne by electron transfer: crystal structures of $[\overline{Pd\{PPh_2CH{=}C(Bu^t)NN{=}C(Bu^t)CH_2PPh_2\}}\text{-}\{C(CO_2Me){=}CH(CO_2Me)\}]$ and $[Pd\{(Z,Z)PPh_2CH_2C(Bu^t){-}NN{=}C(Bu^t)CH_2PPh_2\}\{C(CO_2Me){=}C(CO_2Me)\}]$
M.F.N.N. Carvalho, A.M. Galvão, A.J.L. Pombeiro, J. Čermák, S. Šabata, P. Vojtíšek, J. Podlaha 318

P,N-Heterodifunctional ligands by selective Staüdinger reaction of β-substituted vinylazides with (*Z*)-1,2-bis(diphenylphosphanyl)ethene and formation of cyclometalled complexes of palladium(II) of these ligands — crystal and molecular structure of a new chiral cyclometallaphosphoraniminophosphane of palladium(II)
A. Arques, P. Molina, D. Auñón, M.J. Vilaplana, M.D. Velasco, F. Martínez, D. Bautista, F.J. Lahoz 329

Syntheses of titanium μ-arylimido and μ-pyridylimido complexes bearing (un)substituted cyclopentadienyl ligand
Z. Li, J. Huang, T. Yao, Y. Qian, M. Leng 339

Conversion of tributylstannylferrocene to a variety of heteroaryl ferrocenes
C.-M. Liu, B.-H. Chen, W.-Y. Liu, X.-L. Wu, Y.-X. Ma 348

Syntheses, characterization and structures of chromium group carbonyl complexes containing a multifunctional $Ph_2P(o\text{-}C_6H_4)CH{=}N(CH_2)_2(o\text{-}C_6H_4N)$ ligand
C.-C. Yang, W.-Y. Yeh, G.-H. Lee, S.-M. Peng 353

Heteroleptic diphenylamido complexes of ytterbium: syntheses and molecular structures of $(MeC_5H_4)_2YbNPh_2(THF)$ and $(C_5Me_5)_2YbNPh_2$
Y. Wang, Q. Shen, F. Xue, K. Yu 359

New 1,1′- or 1,2- or 1,3-bis(diphenylphosphino)ferrocenes
R. Broussier, E. Bentabet, P. Mellet, O. Blacque, P. Boyer, M.M. Kubicki, B. Gautheron 365

A theoretical study of gas-phase and solid-state $Hg(CF_3)_2$
M.-S. Liao, S.-P.D. Huang 374

Monoorganotin–polyoxometal compounds: Part 1. Synthesis and crystal structure of $[(^tPrSn)_{11}(V^{IV}O)O_{14}(OH)_6]Cl{\cdot}2DMF{\cdot}H_2O$. The first example in a series of monoorganotin–polyoxometal compounds with icosahedral metal arrangement and various contents of tin and vanadium
G. Kastner, H. Reuter 381

Preparation of germatranyl triflates: reactions of germatranes $N(CH_2CHRO)_3X$ (X = Br, OTf, $OSiMe_3$; R = H, Me) with lithium reagents
S.S. Karlov, P.L. Shutov, N.G. Akhmedov, M.A. Seip, J. Lorberth, G.S. Zaitseva 387

Head-to-head versus head-to-tail dimerizations of transient silenes — the generation and dimerization behavior of 2-(2-dimethylaminoaryl)-1,1-bis(trimethylsilyl)silenes
D. Hoffmann, T. Gross, R. Kempe, H. Oehme 395

Carbonyl insertion into zirconium–nitrogen bonds; synthesis and X-ray structure of a carbene complex composed of $[Zr(NMe_2)_4]_2$ and three $Fe(CO)_4$ units containing $Fe \rightarrow Zr$ donor–acceptor interactions
W. Petz, F. Weller, E.V. Avtomonov 403

Fluoroalkylated *N*-heterocyclic carbene complexes of palladium
L. Xu, W. Chen, J.F. Bickley, A. Steiner, J. Xiao 409

Conference Calendar 417
Author Index of Volume 598 419
Subject Index of Volume 598 421
Contents of Volume 598 431